

### Make-up line:

Polyline – the flexible line.



## What makes you successful? The wide variety of your pastries.

Folded, rolled, filled, decorated, cut, stamped: Use the Polyline to produce countless different fine pastries in high quality – easily and efficiently.

#### **Great product variety**

It's your choice. With the Polyline from RONDO, even difficult pastries always turn out perfectly.

- Efficient processing of difficult types of dough such as short and thin dough
- Different pastries with consistent high quality

#### Polyline delivers in many ways.

- Flexible and adaptable
- Great product variety
- Simple operation
- Rapid product changes
- Stable and safe design
- Quick and easy cleaning
- Numerous options and accessories



versatile flexible economical compact

# Why is the Polyline right for you? Because it adapts to you.

#### Flexible and adaptable

You can easily adapt the Polyline to your needs, existing company processes and the space you have available.


- Three different lengths
- Left or right hand execution
- Possible to feed automatically
- Various filling devices available
- Large number of accessories
- Guillotine position is easily moved
- Special nose roller enables smooth product transfer to downstream machines
- Combination with upstream and downstream machines such as calibrating units, laminating lines and panning machines



### **Operation** Simply use

the touchpanel to select the

right program.



The illustration shows the Polyline (length 5 m) with the following options and accessories:

- Dough band positioner
- Pneumatic filling device
- Folding station
- Storage shelf for accessories
- Holder for cutting rollers

#### **Equipment and options**

Flexible, expandable and versatile: adapt the Polyline to your needs.

- Running direction to the left or right \*
- Twin cutting station
- Mechanical filling depositor
- Pneumatic filling depositor \*
- Rondofiller \*
- Mechanical guillotine
- \* optional


#### Accessories

With the practical extras from RONDO, you expand the functions of the Polyline and simplify production processes.

- Inclined infeed section with belt flour dusting
- Calibrating unit
- Dough band positioner
- Cutter holder
- Flour, sugar and coarse duster
- Flour brush
- Cutters
- Decoration cutting devices
- Separation belt
- Dough moisteners and sprayers
- Folding devices
- Single and multiple rolling guides
- Toboggan
- Stamping dies

#### Technical data

	100mmout data
Operation	<ul><li>Microprocessor control system</li><li>Touchpanel</li><li>99 program memory slots</li></ul>
Length (modular)	5000, 6200 and 7600 mm
Table width	715 mm
Table height	915 mm
Belt width	640 mm
Belt speed	0.5 – 8 m/min.
Supply voltage	3×200 – 480 V, 50/60 Hz
Control voltage	24 V DC
Cable duct	Below machine table
Guillotine	Mechanical, can be moved on line
Interfaces	Rondo MLC, Smartline, calibrating unit, Compact panning machine



The right to make changes of a technical nature is reserved. The technical safety and type-specific instructions in the operating manual must be complied with. Prohibition, information and warning signs on the machines are to be complied with in accordance with the operating manual.

### What makes the Polyline perfect? The wealth of minor details.



#### Simple operation and rapid product changes

Speed is important in a bakery. The Polyline from RONDO is quick and easy to operate.

- Modern control system with large symbols
- Settings of the line and accessories for 99 different products can be memorised
- No loss of data thanks to backup copies on a computer
- Four motorised accessories can be controlled via the control panel
- Simple speed monitoring between Polyline and downstream machines
- Fast and effortless product changes



#### Quick and easy cleaning

You want to produce, not clean and polish. Make-up lines from RONDO are constructed in such a way that the time required for cleaning is reduced to a minimum.

- Smooth surfaces made of stainless steel
- Concealed motors and plug connectors
- Protected cable duct
- Smooth touchpanel
- Quick release belt without the need for tools
- Flour collecting trays



#### Stable and safe design

Compact and resilient, sturdy and durable: you can rely on the Polyline.

- Stable 45° double fold profile
- Height-adjustable feet and large wheels



Mechanical filling device For creamy to semi-viscous, self-flowing fillings, the Polyline can also be equipped with a mechanical filling device.







RONDO Schio s.r.l. 36015 Schio (VI) / Italy Tel. +39 0445 575 429 info.it@rondo-online.com

RONDO GmbH & Co. KG 57299 Burbach / Germany Tel. +49 2736 203-0 info.de@rondo-online.com

RONDO S.à.r.l. 67319 Wasselonne Cédex / France Tel. +33 3 88 59 11 88 info.fr@rondo-online.com

RONDO Ltd. Chessington, Surrey KT9 1ST / UK Tel. +44 20 8391 1377 info.uk@rondo-online.com

000 RONDO Rus 127495 Moscow / Russia Tel. +7 495 419 51 23 info.ru@rondo-online.com

RONDO Inc.
Moonachie, N.J. 07074 / USA
USA
Tel. +1 201 229 9700
info.us@rondo-online.com
Canada
Tel. +1 416 650 0220
info.ca@rondo-online.com

RONDO Asia Sdn. Bhd. 58200 Kuala Lumpur / Malaysia Tel. +60 3 7984 55 20 info.my@rondo-online.com

RONDO China Regional Office Guangzhou 510700 / China Tel. +86 20 8388 2211 info.cn@rondo-online.com

RONDO México Regional Office C.P. 15530 México, D.F. / Mexico Tel. +52 55 2580 7075 info.mx@rondo-online.com

www.rondo-online.com

